

DBI test mark contract

Test contract - No.:  -  -  -  (assigned by DBI)

**Customer/Client:** Company: \_\_\_\_\_  
 Street, No.: \_\_\_\_\_  
 Location/city: \_\_\_\_\_  
 Country: \_\_\_\_\_  
 VAT-No.: \_\_\_\_\_

**Contact person:** Name: \_\_\_\_\_  
 Telephone / Fax: \_\_\_\_\_  
 E-Mail: \_\_\_\_\_

**Invoice recipient:** Company: \_\_\_\_\_  
 (if deferring of contact person) Street, No.: \_\_\_\_\_  
 Country/city: \_\_\_\_\_

**Hereby we conclude following contract to the DBI - Gastecnologisches Institut gGmbH Freiberg:**

- a) DBI test mark  Usage „DBI test mark“; The utilization agreement for use of DBI test mark was checked at website [www.dbi-gti.de/nutzungsregeln.html](http://www.dbi-gti.de/nutzungsregeln.html).
- Client confirms publication and acceptance of actually fee schedule at website [www.dbi-gti.de/entgeltliste.html](http://www.dbi-gti.de/entgeltliste.html).

DBI test mark requested for following devices/products: \_\_\_\_\_  
 tested according to test basis/standard: \_\_\_\_\_  
 under consideration validity DBI test report(s)/expertise(s): \_\_\_\_\_  
 should issued. \_\_\_\_\_

This contract form does not replace the test contract for conduction of testing by DVGW test laboratory energy; testing has to be ordered independent of DBI test mark.

DVGW test laboratory will check the contract form after receipt if it could possible to issue such DBI test mark certificate. There will be costs of 110,00 EUR net (excluding VAT) if the request is not valid and it is not possible to present the certificate.

\_\_\_\_\_

**location, date**                      **sign/stamp**